

Certificate of Compliance

Certificate Number 20100713-R14546
Report Reference 2010 July 13
Issue Date 2010 July 13

Page 1 of 2



Issued to: Rectorseal

2601 Spenwick Dr.
Houston, TX 77055

*This is to certify that
representative samples of*

Fill, Void or Cavity Materials
See addendum


*Have been investigated by Underwriters Laboratories Inc.® (UL) or any authorized
licensee of UL in accordance with the Standard(s) indicated on this Certificate.*

Standard(s) for Safety:

ANSI/UL 1479, "Fire Tests of Through-Penetration Firestops." Edition 3-Revision Date
2010-03-01, ANSI/UL 2079, "Tests for Fire Resistance of Building Joint Systems,"
Edition 4 - Revision Date 2008-06-30, CAN/ULC-S115-2005, "Standard Method of Fire Tests of
Firestop Systems." Edition 3 - Issue Date 2005-07-01

Additional Information:

Only those products bearing the UL Classification Mark should be considered as being covered by UL's Classification and Follow-Up Service.

The UL Classification Mark includes: UL in a circle symbol:  with the word "CLASSIFIED" (as shown); a control number (may be alphanumeric) assigned by UL; a statement to indicate the extent of UL's evaluation of the product; and, the product category name (product identity) as indicated in the appropriate UL Directory.

Look for the UL Classification Mark on the product

Issued by:

Reviewed by:

Certificate of Compliance

Certificate Number **20100713-R14546**
Report Reference **2010 July 13**
Issue Date **2010 July 13**

Page 2 of 2



This is to verify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

FlameSafe Silicone N/S, Type FlameSafe 3000, 3001, 3005 Spray, Types FS1900, FS1901, FS1905, FS1929 Sealant, Types FS900+, FS929+, FS901+CG, FS905+CG, FS955+CG Sealant, Type Flame Safe Mortar, Type Flame Safe Bags, Type FlameSafe Pillows, Type FS500, FS501, FS503, FS505, FS529, FST601, FST603, FST605, RFS500, RFS501, RFS505, RFST601 or RFST605 Sealant, Type RS100, RS101, RS105, RS155, S100, S101, S105, S129 or S155 Sealant, Type CF Blanket, Type FS900, FS901, FS903, FS903CG, FS905, FS905CG, FS929, FST901, FST903 or FST905 Sealant, Types FS900+, FS929+, FS901+CG, FS905+CG and FS955+CG Elastomeric Sealant, Type FS900+ Sealant, Types FS1900, FS1901, FS1905, FS1929 Sealant, Type FS1900 Sealant, Type FlameSafe 3000 Spray, Type FSP1000 Putty, FlameSafe Wrap Strip, Type FSP1077 Putty, Type FSP1100 Putty, FlameSafe Silicone N/S, FlameSafe Silicone S/L, FS 900+ Sealant (Caulk Grade and Self-Leveling Type), FlameSafe FS 4000 Sealant (Caulk Grade), FlameSafe FS 4000 Sealant (Caulk Grade and Self-Leveling Type), FlameSafe FS 4000 Sealant, (Caulk Grade and Self-Leveling Type), FlameSafe FS 4000 Sealant (Caulk Grade and Self-Leveling Type)

Issued by:

Reviewed by: